

Pour des vins intensément fruités

SafŒno™ HD A54



INGREDIENTS

Levure (Hybride *Saccharomyces cerevisiae* x *Saccharomyces bayanus*), Emulsifiant : E491 (monostéarate de sorbitane)

ORIGINE

SafŒno™ HD A54 est issue d'un programme d'hybridation mené par la R&D Lesaffre. L'objectif de cette sélection est de surexprimer les esters / alcools supérieurs floraux et fruités tout en garantissant un profil fermentaire net pour les vins jeunes à structure légère.

CARACTÉRISTIQUES OENOLOGIQUES

Aptitudes fermentaires	<ul style="list-style-type: none"> ▪ Phénotype Killer ▪ Force d'implantation modérée ▪ Latence modérée avec cinétique régulière, moyenne à rapide ▪ Bonne tolérance à l'alcool : jusque 15% v/v ▪ Température optimale de fermentation : 14-30°C ▪ Bonne assimilation du fructose ▪ Besoins modérés en azote assimilable : ratio $\frac{\text{Nass (mg/L)}}{\text{Sucres initiaux (g/L)}}$ $\geq 0,8$
Aptitudes métaboliques	<ul style="list-style-type: none"> ▪ Consommation d'acide malique faible à modérée et maintien d'une acidité totale du vin élevée ▪ Production moyenne à élevée de glycérol ▪ Production modérée d'acidité volatile et très faible d'acétaldéhyde ▪ Production modérée de H₂S et très faible production / combinaison de SO₂ ▪ Production très élevée de 2-phényléthanol et d'acétate d'isoamyle ▪ Libération importante de beta-damascénone

SUGGESTIONS D'APPLICATION

▪ Pour des vins blancs et rosés, technologiques marqués par d'intenses notes amyliques

Grâce à sa production élevée d'acétate d'isoamyle / alcool isoamylque et d'acétate de 2 phényléthyle / 2 phényléthanol, SafŒno™ HD A54 confère aux vins des **notes fruitées intenses évoquant la banane et la fraise**.

Sa capacité à **maintenir une acidité totale élevée** mais également à apporter **rondeur et sucrosité** est intéressante pour garder un **équilibre très gourmand**.

▪ Pour les bases d'assemblage

La production équilibrée d'esters éthyliques et très importante d'acétate d'isoamyle par cette souche, agissant comme exhausteur de goût, **renforce systématiquement l'intensité aromatique** du vin, notamment sur les **notes fermentaires**. Ce qui en fait un excellent choix pour **valoriser les bases neutres ou pour apporter complexité aux bases aromatiques**. Cette propriété permet également de masquer les arômes verts liés à des raisins vendangés en sous-maturité.

Grâce à sa très faible production de SO₂, cette souche offre une opportunité certaine pour des vins à **faible teneur en SO₂**.

SafŒno™ HD A54 permettra au vinificateur d'apporter de la **valeur ajoutée à des vins jeunes ou issus de cépages pauvres en précurseurs aromatiques**.


The obvious choice for beverage fermentation 



ESSAI



Melon de Bourgogne, Val de Loire, 12,2% v/v, Ajustement du ratio Nass/Sucres à 1 par ajout de DAP et ajustement de la turbidité (60 NTU) avec 30g/hl de SpringCell lors du levage, température de fermentation constante à 18°C.
12 dégustateurs professionnels. (* significatif à 5%, ** 1%) UO: Unités d'Odeur (Seuil Concentration/Perception)



UTILISATION



Le savoir-faire historique et l'amélioration continue des techniques de production de levure propres à Lesaffre ont permis d'obtenir des levures sèches de **qualité exceptionnelle capables de supporter des conditions d'utilisation très variées. Il est désormais possible d'utiliser ces levures sans réhydratation ou en réhydratation à froid sans affecter leur viabilité, cinétique et/ou profil analytique.** Les professionnels du vin choisiront les conditions d'utilisation les mieux adaptées à leurs besoins :



En inoculation directe :

Réhydrater les levures dans au moins 10 fois leur poids en moût. Agiter lentement pour éviter la formation de grumeaux. Transférer immédiatement dans la cuve de fermentation lors d'un remontage aéré.

Il est également possible d'ensemencer le moût directement dans la cuve de fermentation en prenant soin d'homogénéiser la totalité du volume à l'aide d'un remontage aéré.



Avec réhydratation préalable :

Réhydrater les levures dans au moins 10 fois leur poids en eau à température ambiante. Agiter lentement de façon à éviter la formation de grumeaux. Laisser reposer 20 minutes et transférer la suspension de levures dans la cuve de fermentation lors d'un remontage aéré.

DOSE D'EMPLOI

Vins blancs & rosés : 20-30 g/hl directement après débourbage

CONDITIONNEMENT

Carton de 20 sachets de 500g sous vide (Poids net total du carton : 10 kg)

GARANTIE

Le taux élevé de matière sèche de ce produit lui assure une conservation optimale dans son emballage d'origine à une température ne dépassant pas 20°C (pendant 3 ans), et 10°C pour une conservation prolongée (4 ans).

Fermentis® garantit la conformité du produit au Codex Oenologique International jusqu'à la DDM dans les conditions de conservation décrites ci-dessus.

Chacune des levures œnologiques Fermentis® est élaborée selon un schéma de production spécifique et bénéficie de tout le savoir-faire du groupe Lesaffre, leader mondial de la levure.

Cela vous garantit les meilleures performances en termes de pureté microbiologique et d'activité fermentaire

Les informations contenues dans cette fiche technique sont la transcription exacte de l'état de nos connaissances du produit à la date indiquée. Elles sont la propriété exclusive de Fermentis® Division of S.I.Lesaffre. Il est de la responsabilité de l'utilisateur de s'assurer que l'usage de ce produit en particulier est conforme aux lois et réglementations en vigueur.

SAFETY DATA SHEET FERMENTIS ACTIVE DRY YEAST

*Safety Data Sheet not required by Regulation (EC) n° 1907/2006 (REACH).
Safety Data Sheet provided on a voluntary basis.*

SECTION 1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

1.1. Product identifier

Product name: Fermentis Active dry yeast

Yeast, as a microorganism, is not subject to REACH registration requirement.

1.2. Relevant identified use(s) of the product : production of beverages

1.3. Company/ undertaking identification

- Supplier:**

Fermentis a division of S.I. Lesaffre
137, rue Gabriel Péri
59703 Marcq-en-Baroeul Cedex
France
Tel : +33 320 81 62 75

- Person responsible for the Safety Data Sheet:** fermentis@lesaffre.fr

1.4. Emergency telephone number:

+33 320 81 62 75

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the product

- Regulation criteria EC 1272/2008 (CLP):** Not considered as hazardous under EU Regulation n°1272/2008.
- Properties / Symbols :** None
- Harmful physico-chemical effects on human health and environment:** No hazards under normal conditions of use.

2.2. Labelling elements: Not applicable

2.3. Other hazards

vPvB substances: None – PBT substances: None

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Safety Data Sheet – Fermentis Active dry yeast

Date of creation: 30/05/2016

Version n°1, May 2016

Page 1 / 5

Main component: Dried cells of yeast
Hazardous ingredients: None
CAS n°: Not applicable
REACH Registration number: Not applicable

SECTION 4. FIRST AID MEASURES

4.1. Description of the first-aid measures

- **In case of skin contact:** Contact with skin is not dangerous to our knowledge.
- **In case of eye contact:** Rinsing with water whilst keeping the eyelids well open. If irritation persists, consult an eye specialist.

4.2. Main symptoms and effects, both acute and delayed

None, to our actual knowledge, in normal use.

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Appropriate ways of extinction: Water, Carbon dioxide (CO₂), Water sprayed
Ways of extinction which must not be used for safety reasons: None in particular

5.2. Special hazards arising from the product

Combustible product. Possible emission of gases in contact with fire : CO, CO₂, SO₂.

5.3. Advice for firefighters

Do not attempt to fight the fire without suitable protective equipment: wear suitable breathing apparatus and complete protective clothing.
Collect separately contaminated water used for fire extinguishing. Do not discharge into wastewater systems.
If feasible from the safety point of view , move undamaged containers from the immediate danger zone.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment.

6.2. Precautions for the protection of environment

Prevent penetration into soil / subsoil. Prevent discharge into surface waters or wastewater systems.
Retain contaminated washing water and dispose it at a licensed waste collection point.
Equipment suitable for the collection: absorbing material, organic, sand.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up the product before washing with water.

6.4. Reference to others sections

See disposal considerations in section 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid dust formation.

Handle according to general occupational hygiene practices.

7.2. Conditions for a safe storage, including any incompatibilities

Keep away from sources of ignition

Store the container tightly closed – in a dry, cool place – protected from humidity.

Keep in the packaging of origin.

7.3. Special final use(s): Beverages industry

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits: not applicable

8.2. Exposure controls

No specific measures other than general rules of safety and industrial hygiene.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Powder

Colour: Beige

Olfactory limit: Not applicable

Specific temperatures

- Boiling: Not applicable

Flammability characteristics

- Flash point: Not applicable

- Auto-ignition temperature: > 195°C

Oxidizing properties: Non oxidizing material according to EC criteria

Lower explosive limit: 60 g/m³

Vapour pressure: Not applicable

Vapour density (air = 1): Not applicable

Relative density (water = 1): 0.55 - 0.95

Solubility

- In water: Soluble

- In organic solvents: Insoluble

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity:

To our knowledge, the product does not present any particular risk.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions:

Safety Data Sheet – Fermentis Active dry yeast

Date of creation: 30/05/2016

Version n°1, May 2016

Page 3 / 5

10.4. Conditions to avoid: Sparks, open flames, ignition source.

10.5. Materials to avoid: None in particular

10.6. Hazardous decomposition products

On combustion or on thermal decomposition (pyrolysis), may form: Carbon oxides (CO, CO₂), sulfur oxides (SO₂) Nitrogen oxides (Nox).

SECTION 11. TOXICOLOGICAL INFORMATION

To our knowledge, there is no specific toxicological risk when handled in accordance with good occupational hygiene and safety practice.

SECTION 12. ECOLOGICAL INFORMATION

Use the product rationally by avoiding scattering it in the nature. The product is considered as not presenting any hazard for the environment, in particular as regards to its mobility in the ground, its obstinacy, its potential of bioaccumulation, its aquatic toxicity, and in a more general way its ecotoxicity.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste product residues should be disposed or processed in a suitable treatment plant complying with the requirements of environmental protection, waste disposal legislation and any local regulations.

SECTION 14. TRANSPORT INFORMATION

Non-hazardous product in the meaning of transport regulation:

ADR: not restricted

RID: not restricted

ADN: not restricted

IMDG: not restricted

ICAO/IATA: not restricted

SECTION 15. REGULATORY INFORMATION

15.1. Specific regulation/ legislation to the product regarding safety, health and environment

Compliant with relevant European food and feed regulations.

15.2. Chemical safety assessment

Not applicable

SECTION 16. OTHER INFORMATION

• Abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS: Chemical Abstracts Service
CLP: Classification, Labelling, Packaging
EINECS: European Inventory of Existing Commercial Chemical Substances
IATA: International Air Transport Association
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG: International Maritime Code for Dangerous Goods
PBT: Persistent, bioaccumulative and toxic
vPvB: Very persistent, very bioaccumulative
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulation concerning the International Transport of Dangerous Goods by Rail

• Note to the reader

The information provided in this Safety Data Sheet is based on the state of our knowledge relative to the concerned product, at the date of the revision of this Safety Data Sheet. The information provided in this Safety Data Sheet is additional to the technical leaflets but does not replace them.

This Safety Data Sheet only constitutes guidance for safe handling, use, process, storage, transport, consumption and disposal of the product. It is not to be construed as a warranty or quality specification of the product.

The attention of the user is drawn to the possible risks and hazards incurred when a product is used for purposes other than those for which it is designed in this Safety Data Sheet: it is the responsibility of the user to assess the applicability of the information and recommendations provided in this Safety Data Sheet and its suitability for its own activities, purposes and products.

Fermentis shall not be held liable for any use of the product which is not consistent with the information provided word for word in this Safety Data Sheet.

Compliance with the instructions in this Safety Data Sheet does not release the user from ensuring he is in conformity with all regulations and recommendations linked to its own products and activities.

The information provided in this Safety Data Sheet is subject to copyright and property rights. This information presented in this Safety Data Sheet shall not be reproduced and this Safety Data Sheet shall not be distributed, in any form, or by any means, without prior authorization in writing by Fermentis, unless legally required to do so by judicial or governmental order or proceeding. In this event, the user shall immediately notify Fermentis.

End of the Safety Data Sheet

ACTIVE DRY YEASTS INFORMATION

Wine Active Dry Yeasts

Saf[®]Eno™ STG S101
Saf[®]Eno™ CK S102
Saf[®]Eno™ BC S103
Saf[®]Eno™ UCLM S325
Saf[®]Eno™ UCLM S377
Saf[®]Eno™ VR 44
Saf[®]Eno™ HD T18
Saf[®]Eno™ SC 22
Saf[®]Eno™ FV 19

Saf[®]Eno™ NDA 21
Saf[®]Eno™ GV S107
Saf[®]Eno™ HD S135
Saf[®]Eno™ HD S62
Saf[®]Eno™ HD A54
Saf[®]Eno™ SH 12
Saf[®]Eno™ PR 106
Saf[®]Eno™ EF 85
Saf[®]Eno™ SPK 05



ACTIVE DRY YEAST

Regulation / OIV

Fermentis guarantees the Wine active dry yeasts (WADY) comply with the International Oenological Codex: Monograph of *Saccharomyces* Yeasts (RESOLUTION OIV-OENO 576A-2017) until its Best Before end Date in the storage conditions mentioned on the technical data sheet and packaging.

Allergens

MAIN ALLERGENS (1)	Products mentioned in the list above	
	Voluntary Added	May contain
Cereals containing gluten and products thereof	NO	NO
Crustaceans and products thereof	NO	NO
Eggs and products thereof	NO	NO
Fish and products thereof	NO	NO
Peanuts and products thereof	NO	NO
Soybeans and products thereof	NO	NO
Milk and products thereof (including lactose)	NO	NO
Nuts and products thereof	NO	NO
Celery and products thereof	NO	NO
Mustard and products thereof	NO	NO
Sesame seeds and products thereof	NO	NO
Sulfur dioxides and sulphites at concentrations of more than 10mg/kg or 10 mg/liter in terms of the total SO ₂	NO	NO
Lupin and products thereof	NO	NO
Mollusks and products thereof	NO	NO

Allergens (1) as defined by Annex II of Regulation (EU) No 1169/2011 amended

Gluten free: <20 ppm

Composition

SafC_Eno™ STG S101		
SafC_Eno™ CK S102		
SafC_Eno™ UCLM S325		
SafC_Eno™ UCLM S377		
SafC_Eno™ SC 22		
SafC_Eno™ NDA 21		
SafC_Eno™ GV S107		
SafC_Eno™ SH 12		
SafC_Eno™ PR 106		
SafC_Eno™ BC S103		
SafC_Eno™ VR 44		
SafC_Eno™ EF 85		
SafC_Eno™ FV 19		
SafC_Eno™ HD S135		
SafC_Eno™ HD S62		
SafC_Eno™ HD T18		
SafC_Eno™ HD A54		
SafC_Eno™ SPK 05		
	$\geq 99\%$ of Yeasts (<i>Saccharomyces cerevisiae</i>)	$\leq 1\%$ of Emulsifier: Sorbitan Monostearate
	$\geq 99\%$ of Yeasts (Hybrid of <i>Saccharomyces cerevisiae</i> and <i>Saccharomyces bayanus</i>)	

Additive Information

Product concerned: Wine active dry yeasts

The Sorbitan Monostearate (SMS = E491) is an emulsifier authorized for the dry yeast.

The dosage and use of the SMS is $\leq 1\%$ / dry yeast.

The specifications of the SMS used by Fermentis are in conformity with the JECFA, the Food Chemicals Codex and the purity criteria of regulation (EU) No 231/2012 as amended by regulation (EU) No 2018/1462. Fatty acids used for the SMS synthesis used by Fermentis are from vegetable origin.

This emulsifier protects the yeast during drying process (and it is also helpful for rehydration of the yeast in the must).

Shelf Life

Products	Shelf Life ¹
SafC_Eno™ STG S101 SafC_Eno™ CK S102 SafC_Eno™ BC S103 SafC_Eno™ UCLM S325 SafC_Eno™ UCLM S377 SafC_Eno™ VR 44 SafC_Eno™ SC 22 SafC_Eno™ NDA 21 SafC_Eno™ GV S107 SafC_Eno™ HD S135 SafC_Eno™ HD S62 SafC_Eno™ HD T18 SafC_Eno™ HD A54 SafC_Eno™ SH 12 SafC_Eno™ PR 106 SafC_Eno™ EF 85 SafC_Eno™ SPK 05 SafC_Eno™ FV 19	4 years

¹ in the conditions of storage mentioned on the Technical Data Sheet and packaging

Manufacturing statement

PRODUCTS	ACTIVE DRY YEAST PRODUCTION PLANT	PACKAGING PLANT
SafC_Eno™ STG S101 SafC_Eno™ CK S102 SafC_Eno™ BC S103 SafC_Eno™ UCLM S325 SafC_Eno™ UCLM S377 SafC_Eno™ VR 44 SafC_Eno™ SC 22 SafC_Eno™ NDA 21 SafC_Eno™ GV S107 SafC_Eno™ HD S135 SafC_Eno™ HD S62 SafC_Eno™ HD T18 SafC_Eno™ HD A54 SafC_Eno™ SH 12 SafC_Eno™ PR 106 SafC_Eno™ EF 85 SafC_Eno™ SPK 05 SafC_Eno™ FV 19	Algist Bruggeman, Belgium	Algist Bruggeman, Belgium Packaging: 500g, 10kg

Algist Bruggeman, a Lesaffre Group Company is BRC certified.

Address: Algist Bruggeman Langerbruggekaai n°37, B-9000 Gent - Belgium

Fermentis is a Business Unit of **Société Industrielle Lesaffre**, a Lesaffre Group Company.

Address: BP 3029, rue Gabriel Péri n°137, F 59703 Marcq-en-Barœul - France

All certificates mentioned above are available on request.

Origin

All the yeasts are from fungal origin.

REACH / CLP

Yeast are living microorganisms and they are not considered as a substance, a mixture or an article under the REACH Regulation (see ECHA guidance for annex V "Exemptions from the obligation to register"). In this context, it is not relevant whether yeasts have been grown in nature or via a man-made cultivation.

As a consequence, as yeasts are not considered to be a substance, they do not fall in the scope of the REACH regulation and of the CLP regulation: they are neither subject to registration within REACH framework, nor to any notification within CLP framework regulation.

Animal Free BSE / TSE

There are no protein elements based on animal flour and no fat matter based on animal products used in the production of WADY.

Antibiotics Free

Even if the antibiotics can be legally used in order to control the microbial development for specific process or application, microbiological control is managed in process according to the conventional way (mechanic, thermal and / or chemical) without introduction of antibiotics in the WADY.

We believe that compliance with Good Manufacturing Practices integrating application of routinely conventional cleaning operations, and usage of food compatible equipment and adequate engineering, are altogether sufficient in order to satisfactorily manage the yeast process without the usage of antibiotics.

Dioxins

Regulation (EC) No 1881/2006 amended sets maximal rates for dioxins, DL-PCBs and NDL-PCBs in certain foodstuffs.

Yeasts as such do not fall within the categories of foodstuffs under Regulation (EC) 1881/2006 and therefore are not subjected to specific rates in Dioxins, PCBs or PCB-DL-NDL.

Nevertheless, WADY are regularly submitted to controls for Dioxins, PCB-DL and PCB-NDL.

Results of those analyses have always been below the maximal rates in Dioxins, PCBs and PCB DL NDL set by Regulation (EC) No 1881/2006 especially in vegetable oils and fats:

- All dioxins 0.75 pg OMS-PCDD/F-TEQ/g of fats
- All dioxins and PCB-DL: 1.25 pg OMS-PCSS/F-PCB-TEQ/g of fats
- All PCB NDL: 40 ng/g of fats

Food grade

We apply Good Manufacturing Practices and ensure that all stages of production, processing and distribution under our control satisfy the relevant hygiene requirements laid down in the Regulation (EC) No 852/2004 on the hygiene of foodstuffs, amended.

WADY are fit for human consumption.

Besides, we have implemented an HACCP study, based on recommendations of Codex Alimentarius (General principles on food hygiene), with control plans, physico-chemical and bacteriological analysis so as to answer to the European rule and to the defined specifications.

In addition, a follow up is carried out concerning the research of chemical contamination every year (heavy metals, pesticides, mycotoxins...).

Non-GMO

The strains used for the production of WADY do not contain any Genetically Modified Organisms (GMO), as defined by European Directive 2001/18/CE dated 12 March 2001.

As a consequence, we guarantee that WADY are not subject to any further conditions of traceability and labelling regarding Regulations (EC) No 1829/2003 and n°1830/2003.

Heavy Metals

WADY are regularly submitted to tests carried out by external laboratories. Indeed, we have implemented an HACCP study, with control plans, physico-chemical and bacteriological analysis.

We certify that the WADY are conforming to International Oenological Codex: Monograph of *Saccharomyces* Yeasts (RESOLUTION OIV-OENO 576A-2017):

- Lead: less than 2 mg/kg of dry matter.
- Mercury: less than 1 mg/kg of dry matter.
- Arsenic: less than 3 mg/kg of dry matter.
- Cadmium: less than 1 mg/kg of dry matter.

Non-Ionization / Irradiation

There is no ionization or irradiation treatment to produce WADY.

Mycotoxins

Regulation (EC) No 1881/2006 sets maximal rates for certain contaminants that may be contained in food including the following mycotoxins: Aflatoxins, Ochratoxin A, Zearalenone, Deoxynivalenol, Fumonisins.

WADY are not subjected to this regulation (there is no maximal rate).

We certify that the results of analysis of these mycotoxins comply with the maximum rates set by the regulation (EC) No 1181/2006.

Nanotechnology

You query us about nanomaterials in wine active dry yeasts. Nanomaterials are defined in several regulation on the following terms:

"Manufactured nanomaterials" in the regulation (EU) No 2015/2283,
"Substances in nanoparticulate state" in the French decree No 2012-232,
"Nanomaterials" in the European commission recommendation 2011/696/UE.

We are able to inform you that, the aforesaid product we are delivering you and the raw materials used for its production do not answer to the above-mentioned definitions.

Non-Radioactivity

WADY are produced without radioactive treatment.

Use in organic

In the EU, the organic production and labelling of organic products are regulated by regulation (EU) No 2018/848 and commission implementing regulation (EU) No 2021/1165.

Conventional WADY can be used for organic winemaking according to Article 9 and Part D of Annex V of regulation (EU) No 2021/1165 authorising certain products and substances for use in organic production and establishing their lists. Part D of Annex V states that yeasts are permitted for organic wine production, provided the individual yeast strain is not available in an organic form.

To our most recent knowledge, all the strains mentioned here above commercialized by the Lesaffre Group are not available under organic form, except for **Saf~~E~~no™ VR 44**.

Yeast is considered as agricultural ingredients for the purposes of organic production (Part VII 1.1.2 of Annex II of regulation (EU) No 2018/848). It must be included in the maximum 5% of ingredients from agricultural origin authorized in organic products as described in Article 30 of Regulation (EU) No 2018/848. Moreover, organic yeast shall not be present in the organic product together with non-organic yeast.

Please consult the link below to see Fermentis WADY listed by ECOCERT France for use in organic products:

http://ap.ecocert.com/intrants/fournisseur.php?l=en&recherche_produit=&id=830&recherche_categorie=0&recherche_statut=1,0,0,0,0

Pesticides

The Regulation (EC) No 396/2005 and the Codex Alimentarius don't fix maximum residue limits of pesticides applicable to yeasts or molasses used as substrate for fermentation.

However, concerning raw products such as beets and canes, there are maximum residue limits. We make regular analysis of contaminants on our raw materials and our finished products. So far the results of the analyses made on the molasses are under the maximum residue limits applicable to sugar beets and sugar canes.

Regulation (EC) No 396/2005 plans in its annex VI to define transformation factors which will enable to calculate maximum residue limits for processed products. The transformation factors are coefficients which integrate the expected dilution or concentration of the residue of pesticide in the process. We carefully follow the implementation of those transformation factors and we will take them into account in our contaminant monitoring plan as soon as they will be published.

Concerning our finished products, so far the results are:

- Concerning organochlorine: 5 to 50µg/kg depending on molecules
- Concerning organophosphorus: 5 to 50µg/kg depending on molecules
- Concerning the triazoles: < 0.2mg/kg
- Other pesticides researched: 5-50µg/kg depending on molecules

Preservative / Hormone

We don't use any preservative or hormone in the process of WADY.

Stability of the products

The product must be stored/transported in dry conditions and protected from direct sunlight. For less than 6 months, the product can be stored/transported at ambient temperature below 25°C without affecting its performances. Peaks up to 40°C are allowed for a limited period of time (less than 5 days). Fermentis recommends a long term storage at a controlled temperature (below 15°C), once the product arrives to the final destination.

Vegetarian / Vegan

WADY are suitable for vegetarians and vegans.

Kosher

KOSHER PARVE LAMEHADRINE CERTIFICATION	
YES	NO
SafC_Eno™ STG S101 SafC_Eno™ CK S102 SafC_Eno™ BC S103 SafC_Eno™ UCLM S325 SafC_Eno™ UCLM S377 SafC_Eno™ VR 44 SafC_Eno™ SC 22	SafC_Eno™ NDA 21 SafC_Eno™ GV S107 SafC_Eno™ HD S135 SafC_Eno™ HD S62 SafC_Eno™ HD T18 SafC_Eno™ HD A54 SafC_Eno™ SH 12 SafC_Eno™ PR 106 SafC_Eno™ EF 85 SafC_Eno™ SPK 05 SafC_Eno™ FV 19

Certificates are available on request.

Packaging in contact with foodstuffs

The packaging in contact with the WADY is in accordance with:

- Regulation (EC) No 1935/2004 on materials and articles intended to come into contact with foodstuffs,
- Regulation (EC) No 2023/2006 on good manufacturing practice of materials and articles intended to come into contact with foodstuffs,
- French Law No. 2012-1442 banning food contact materials containing Bisphenol A.

The specific packaging containing plastic materials intended to come into contact with food, are in conformity with the Regulation (EU) No 10/2011.

Nutritional values information

Below the typical, indicative values for nutritional components of an active dry yeast. We refer to the regulation (EU) No 1169/2011 on the provision of food information to consumers for nutritional labelling. Yeast is exempted from the requirement of the mandatory nutrition declaration (Annex V). This information is provided on a voluntary basis and is based on COFALEC information.

Typical nutritional data as is

100g of Dry yeast (95% dry matter)	Typical value
Energy	355 kcal
Fat of which - Saturates - Polyunsaturates	5.7g 0.9g 0.3g
Carbohydrate Of which - Sugars - Polyols - Starch	19g 14g -
Fibre	27g
Protein	43.5g
Salt	0.3g

Information provided in this document is based on the state of our knowledge relative to the WADY at the date of emission of this document. You shall not be held liable for any use of the WADY not compatible with recommendations proposed by Lesaffre.

Information provided in this document does not release the user from ensuring the compliance with regulations linked to its own products, activities and markets.



ATTESTATION DE NON DISPONIBILITE BIO UE



01/01/2023

Validité 2 ans

La société SOUFFLET VIGNE certifie ne pas disposer d'équivalent biologique pour les produits œnologiques listés dans cette attestation, autorisés selon la réglementation européenne : CE 834/2007 RUE 203/2012

De ce fait, ils peuvent être utilisés sous leur formulation conventionnelle pour la vinification de raisins biologiques

- Enzymes Vinextase® uniquement dans le cadre de la clarification :
Formulations poudres EXTASYM : **Crystal, Clarification, Thermo, MP et Macération**
Formulations liquides EXTASYM : **Clarification et Macération , Activ Plus , Clarification Activ Plus, et Thermo activ Plus**
- Levures Saccharomyces cerevisiae :
Vinextase® : **CASSIOPEAE, AQUILAE**
SafOENO™ BC S103, CK S102, STG S101, SC 22, UCLM S325, NDA21, HD S135, GV S107, CO 16, SH12, VR44 BIO, HD T18, HD A54, HD S62
- Levures non Saccharomyces Vinifora : **CONCERTO, PRELUDE, FROOTZEN, OCTAVE, MELODY**
- Activateurs de Fermentation alcoolique :
Vinextase® : **VIT'AZOTE P, NUTRIMAX P, NUTRIMAX O**
FERMENTIS : **SPRINGFERM, SPRINGFERM XTREM, SPRINCELL COLOR, SPRINGCELL COLOR G2, SPRINGCELL MANNO, SPRING FINER**, et activateur malo lactique **BACTIV AID**
- BACTERIES LACTIQUES chr HANSEN : **VINIFLORA OENOS, CH16, CH16 EXPERT, CH11, CH35, CiNE, NoVA, SPARTA**
- Produits de collage Vinextase® : **Natura Pro, Claritosan Pro, Natura Pat, Natura Bent P et G, Naturelle Bent, Superbenton DC, Xtrem gel fine et medium, Caséinate de potassium, Flottagel, Albumine d'œuf, colle de poisson, gel de silice**
- Produits spécifiques Vinextase® : **Grandeco DC, Decolor plus, Geos'top, Charbon beta, Microsan , Microsan AT, Noredux, Noredux Manno**
- Produits de sulfitage Vinextase® : **Bisulfite 6%, 8%, 10%, 15%, 18% - Métabisulfite de K, MILANE S2, S5, S11, S24, S63**
- Produit d'acidification et de stabilisation Vinextase®: **acide citrique, acide ascorbique, acide metatartrique, acide lactique, bitartrate de K, bicarbonate de K, gommes Kdgom et Aragom.**
- Gamme de tanins **TANEX** Vinextase®
- **Perlite et Diatomées** gamme Vinextase®

Sandrine BERTY
Référente Qualité
Œnologie et Hygiène



VIGNE Vinextase, une marque de Soufflet Vigne

Le Pont Rouge - RN 6 - BP 125 - 69654 VILLEFRANCHE SUR SAÔNE

Téléphone : 04 74 65 31 04 - Fax : 04 74 60 36 27

SA au capital de 721 570 € - RCS Villefranche-sur-Saône – Tarare B 623 780 178 – TVA FR 623 780 178

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

Les produits listés ci-dessous sont utilisables dans le cadre de la réglementation européenne BIO concernant les pratiques et traitements œnologiques autorisés dans les produits biologiques selon le Règlement (UE) 2018/848 amendé et selon la législation du National Organic Program (NOP) du département de l'agriculture des États-Unis (USDA). SOUFFLET VIGNE vous recommande de consulter votre organisme certificateur avant toute utilisation afin de valider la conformité de ces produits

ENZYMES	BIO UE	NOP
ENZYMES autorisées selon le Règlement Vin Bio (CE) 889/2008 uniquement dans le cadre de la clarification		
EXTASYM CLARIFICATION liquide	Conforme selon le règlement européen UE 2018/848	
EXTASYM THERMO ACTIV PLUS liquide		
EXTASYM CRYSTAL poudre et liquide		
EXTASYM MP poudre et liquide *		
EXTASYM MACERATION poudre et liquide *		
EXTASYM CLARIF ACTIV PLUS * EXTASYM ACTIV PLUS *	*NON AUTORISE	
EXTASYM ELEVAGE poudre *		

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

LEVURES SACCHAROMYCES	BIO UE	NOP
<p>A l'exception de la souche de levure Safoeno VR44, aucune des souches conventionnelles de levures LSA commercialisée par Soufflet Vigne n'est disponible certifiée BIO. Ces LSA conventionnelles peuvent donc être utilisées en production biologique UE.</p>		
Vinextase : AQUILAE, ROSETTA, CASSIOPEAE	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
SafEno™ VR44*	*NON AUTORISE	*NON AUTORISE
SafEno™ BC S103, CK S102, STG S101, SC 22, UCLM S325, UCLM S377, NDA21, HD S135, GV S107, CO 16, SH12, VR44 BIO, HD T18, HD A54, HD S62, FV19, SPK05, EF85	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

LEVURES NON SACCHAROMYCES	BIO UE	NOP
Vinifora CHR HANSEN : Concerto, Prelude, FrootZen, Melody, Octave	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)

Nutriments Activateurs de FA	BIO UE	NOP
<i>VIT AZOTE P*, NUTRIMAX P*</i>	Conforme selon le règlement européen UE 2018/848	*NON AUTORISE
<i>THIAMINE PURE*</i>	Conforme selon le règlement européen UE 2018/848	*NON AUTORISE
<i>PHOSPHATE DIAMMONIQUE*</i>	Conforme selon le règlement européen UE 2018/848	*NON AUTORISE
<i>VINILiquid*</i>	*NON AUTORISE	*NON AUTORISE
<i>SPRINGAROM*</i>	*NON AUTORISE	*NON AUTORISE



L I S T E D E S P R O D U I T S c o m m e r c i a l i s é s p a r S O U F F L E T - V I G N E
U T I L I S A B L E S E N P R O D U C T I O N D E V I N S B I O L O G I Q U E S
C O N F O R M E S A U R E G L E M E N T E U R O P E E N
&
A U R E G L E M E N T N O P U S

SPRINGFERM, SPRINGFERM XTREM NUTRIMAX O, SPRINCELL COLOR, SPRINGCELL COLOR G2 SPRINGCELL MANNO, SPRING FINER, SPRINGCELL**,	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
--	--	--

***SprinCell est autorisé car le SprinCell Bio n'est plus produit depuis le 01/01/2023*

Bactéries Lactiques et activateur FML	BIO UE	NOP
VINIFLORA OENOS, CH16, CH11, CH35, CiNE, NoVA PLUS, NoVA Protect, SPARTA, SUPERNoVA	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
Activateur FML : Bactiv-aid 2.0	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

Produits de collage	BIO UE	NOP
NATURA PRO		
NATURA PRO L		
XTREM GEL FINE		
XTREM GEL MEDIUM		
FLOTTAGEL		
ALBUMINE D'ŒUF		
CASEINE**	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
GEL DE SILICE**		**Conforme NOP sous condition du certificat page 7
CASEINATE DE POTASSIUM*		**Conforme NOP jusqu'à la commercialisation d'un substitut
NATURA PAT*		
CLARITOSAN PRO *		
Bentonites NATURA BENT P* NATURA BENT G*		
Bentonite SUPERBENTON*		*NON AUTORISE

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

Acidification, désacidification,	BIO UE	NOP
ACIDE CITRIQUE		
ACIDE LACTIQUE		Conforme selon le règlement américain NOP (National Organic Program)
ACIDE L(+)TARTRIQUE	Conforme selon le règlement européen UE 2018/848	
BICARBONATE DE POTASSIUM*		*NON AUTORISE
MICROSAN* et MICROSAN AT*		*NON AUTORISE
NOREDUX		Conforme selon le règlement américain NOP (National Organic Program)
NOREDUX MANNO		

Charbons	Produits Vinextase	NOP
CHARBON ALPHA granulé*		
DECOLOR PLUS poudre*	Conforme selon le règlement européen UE 2018/848	*NON AUTORISE <i>sauf comme adjuvant de filtration</i>
GRANDECO pellets *		
ENO ANTICROMOS *		
CHARBON BETA granulé*		

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

tanins	BIO UE	NOP
TANEX GALA*		*NON AUTORISE
TANEX STRUCTURE		
TANEX A		
TANEX GOLD		
TANEX VX tous grades 10 12-13-14-22	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
TANEX ANTI OX vin rouge et vin blanc		
TANEX PRO		
TANEX PEPIN		

Produits	BIO UE	NOP
ACIDE ASCORBIQUE	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
BITARTRATE DE POTASSIUM		
METABISULFITE DE POTASSIUM*	Conforme selon le règlement européen UE 2018/848	*NON AUTORISE **Bisulfite de potassium non autorisé au 30/06/2021
ACIDE METATARTRIQUE*		
BISULFITE DE POTASSIUM 6%, 8%, 10%, 15%, 18% **		
SOUFRE PROTECT ou OENODOSES 2G, 5G *		
Gommes arabiques KDGOM – ARAGOM	*NON AUTORISE	Conforme selon le règlement américain NOP (National Organic Program)

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

Dérivés du Bois	BIO UE	NOP
NUANCE FRAICHEUR		
NUANCE VANILLEE, NUANCE EPICEE, NUANCE TORREFIEE		
DOMINOS EXPRESSION FRUITEE, VANILLEE, EPICEE	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
INSERTS EXPRESSION FRUITEE, VANILLEE, EPICEE		
STAVES EXPRESSION FRUITEE, VANILLEE, EPICEE		

Agents filtrants	BIO UE	NOP
Diatomées « blanches » : CS 10 – CS 15 – CS 20 – CS 30 CS 60 – CS 100		*NON AUTORISE
Diatomées « roses » : CS0 – CS1 – CS3 – CS 07		
Toute la perlite : MAXIFLOX 40, EXTRA FLOW 16, MF 18, MF45, MF35 MEDIA FLOW 30 et 50, etc...	Conforme selon le règlement européen UE 2018/848	Conforme selon le règlement américain NOP (National Organic Program)
Plaques filtrantes vinextase V2, V3, V5, V7, VS12, VS 15, VS40, VS60 Plaques filtrantes BECO STANDARD ET BECOPAD		
Tous les modules ML BD 120, ML BD 150, ML BD S180, ML BD S300 SUPAPORE, SUPASPUNE II , SUPAPLEAT II, ...		

**LISTE DES PRODUITS commercialisés par SOUFFLET-VIGNE
UTILISABLES EN PRODUCTION DE VINS BIOLOGIQUES
CONFORMES AU REGLEMENT EUROPEEN
&
AU REGLEMENT NOP US**

ATTESTATION DE NON DISPONIBILITE EN BIO

La société SOUFFLET VIGNE certifie qu'au vu des certificats communiqués par nos différents fournisseurs, nos produits œnologiques conventionnels :

- n'ont pas fait l'objet d'une certification biologique, de ce fait, ils peuvent être utilisés sous leur formulation conventionnelle pour la production de vins biologiques
- ne sont pas concernés par les Organismes Génétiquement Modifiés et ne contiennent pas d'O.G.M. selon la Directive 2001/18/CE. Ce ne sont pas des denrées ou ingrédients obtenus entièrement ou partiellement à partir de substrats génétiquement modifiés concernés par le Règlement (CE) n° 1830/2003
- ne sont pas produits à partir d'animaux clonés et ne contiennent pas de produits issus d'animaux clonés
- n'ont pas subi de traitement ionisant, ne sont pas irradiés, et ne sont pas issues de la nanotechnologie à l'exception du Gel de Silice vinextase
- ne contiennent pas et ne sont pas élaborés à partir de substrat contenant des boues d'épuration.,

Cette liste a été mise à jour le 01/06/2024, elle est donnée à titre indicatif et évolue régulièrement.

Nous vous informons, d'autre part, que certains de nos produits œnologiques sont certifiés ECOCERT : télécharger sur le site Intrants Ecocert France / Oenologie /. Fournisseur Soufflet-vigne

Sandrine BERTY
Référente Qualité/Œnologie et Hygiène

